



FRANCES BAARD DISTRICT MUNICIPALITY

INVITATION TO BID

BID 27/25: SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT 2025/26

Frances Baard District Municipality (FBDM) hereby invites qualified service providers to submit proposals for the above-mentioned project.

This bid will be evaluated in terms of the 80/20 preference point system as prescribed in the Preferential Procurement Regulations, 2022 pertaining to the PPPF Act (No 5 of 2000) and the Supply Chain Management Policy of Frances Baard District Municipality. FBDM is not bound to accept the lowest bid. FBDM reserves the right to partial acceptance of one or more bids.

The closing date for submissions is 22 May 2026 at 12h00. Bids will be opened in public immediately after the stated closing time.

Proposals should be clearly marked: **BID 27/25: SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT 2025/26** and submitted / delivered to The Municipal Manager (Ms. M. Bogatsu), Frances Baard District Municipal Offices, 51 Drakensberg Avenue, Carters Glen, Kimberley (for attention Mr. P. Souden).

Bid documents are obtainable at FBDM's offices during working hours or on the FBDM Website (www.francesbaard.gov.za). Enquiries on technicalities may be directed to Ms. L. Somoro at tel. (053) 838 0911 and for supply chain matters to Mr. E. Tlhageng at tel. (053) 838 0946 during office hours.

If no response is received in ninety (90) days after the closing date, consider your proposal unsuccessful.

MUNICIPAL MANAGER
Ms. M. Bogatsu

FRANCES BAARD DISTRICT MUNICIPALITY



BID 27/25: SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT 2025/26 TOR

BIDDER:

ADDRESS:

.....

.....

TEL:

FAX:

BID AMOUNT (VAT Incl.)

1. Introduction

Frances Baard District Municipality seeks the appointment of a suitable service provider for the procurement and delivery of machinery and equipment.

2. Scope of Work

The machinery and equipment that are required is as per the table below and must be delivered to the Frances Baard District Municipality Offices.

Quantity	Item	Specification
4	HP 15s Intel® N100 8GB RAM And 256GB (or equivalent)	<ul style="list-style-type: none"> • Windows 11 Home • 15.6 Inch FHD anti-glare display • 8GB RAM and 256GB SSD storage • Intel® N100 processor • Camera Privacy Shutter • Includes HP 15.6" backpack and mouse • Includes Norton™ 360 standard
1	Deli A4 Black Comb Binding Machine 450 sheets (or equivalent)	<ul style="list-style-type: none"> • SKU: 384c9ed3 • Ean code: 6921734938732 • Gross weight (kg): 5.30 • Product width in cm: 47.50 • Product depth in cm: 20.00 • Product height in cm: 32.50
22	Belle Chairs – Plastic	<ul style="list-style-type: none"> • Belle Chairs / Bella Chairs • Floral Trim Design on Plastic Chair • The Floral Trim May Differ slightly due to batch & supplier differences. • For Home Use or Events Use • Approx: 3.3 - 3.5KG • 0325EXD
1	Pro power Gasoline High Pressure Washer 6.5hp (or equivalent)	<ul style="list-style-type: none"> • 5 Nozzles - Optimized 5 nozzles to meet different washing demands. • Fuel tank - 3.5 Large capacity • Muffler - To keep a lower-noise comfortable working environment • Switch - Quick stop function Recoil start: Easy-start design by hand Oil tank: With oil alert system Tire design: Good slip resistance and high elasticity Quick change Lange: Simplypull back the collar to easily • SKU: 3381ce7b • Ean code :6000088000180 • Gross weight (kg) :36 • Product width in cm :45

		<ul style="list-style-type: none"> • Product depth in cm :73 • Product height in cm: 53.5Fra •
1	Professional Makeup Chair for Artists	<ul style="list-style-type: none"> • High quality professional foldable makeup chair. This professional makeup chair is designed with a foldable aluminum frame which makes the chair very easy to pack and store. For those aspiring makeup professionals and directors, this is a comfortable chair to help make your job easier and more comfortable. Suitable for many other uses as well • Features • - Size: 110cm x 50cm x 42cm • - Comfortable • - All-in-one chair – ideal for directors and makeup artists • - Easy transport and move around • - Quick and easy to assemble and use • - Maximum Capacity: 120kg
1	Make-Up Carry Case - Black (Large) with Pull Up Handle	<ul style="list-style-type: none"> • Materials: Acrylonitrile Butadiene Styrene (ABS) • Makeup Bag Type: Cosmetic Bag, Makeup Bag • Assembled Dimensions 33.5 x 40.5 x 67 cm • Basic Color: Black
1	The Regent Pedi Station in white (or equivalent)	<ul style="list-style-type: none"> • Superior quality manual pedi station • Structure: Full chrome metal frame with robust internal structures. • Material: High-density memory foam padding with high-grade faux leather (PVC leather). • Adjustability: Features a heavy-duty hydraulic pump capable of handling over 450 lbs. • Design: Typically features a tufted seat and backrest. • Dimensions & Adjustability: Often includes 360-degree rotation, with seat height adjustments, and reclining backrests (up to 130 degrees).
1	Collapsible Foot spa	<ul style="list-style-type: none"> • 2 rows of air jets, 5 per side. • Anti-collapsible support bars. • LED lights to indicate when the heat function is on. • 2-pin plug. • 230 V - 50 Hz. 60W. • Dimensions: 8.5 x 42 x 40.5cm
2	Large Multi-Level Braai - 75cm Charcoal Braai	<ul style="list-style-type: none"> • Large Multi-Level Braai - 75cm • With its spacious cooking area and multiple level adjustments, • For grilling meats, vegetables, and more simultaneously

		<ul style="list-style-type: none"> • Features adjustable grill heights to easily control heat levels for different foods. • Material: Steel • Dimensions: L97 x W79 x H89cm • Cooking area: L75 x W35cm • Cooking Height: 79-87cm – • Fire bowl: L80 x W40 x H20, T 0.7mm steel with high temperature paint • Thermometer: Stainless steel - cooking grid : 2PCS, L39 x W37cm, 3*4 steel wire with Chrome coated • Charcoal Pan : L34 x W25 x H5 cm, Zinc - Side panel : left and right, L28 x W13cm, T1.2mm steel with high temperature paint - Back panel : L80 x W13cm, T 0.7mm steel with high temperature painting - Front panel : L70 x W20cm steel with black powder coated - Leg : 4pcs , L2.5 x W2.5cm , steel with powder coating - Base net : L34 x W64cm , steel with powder coating - Wheel : 2pcs , Dia15cm, plastic wheel.
3	6-Seater Folding Rectangular Trestle Table - Heavy Duty	<ul style="list-style-type: none"> • Folding Table 180cm – Heavy Duty Plastic Top with Steel Frame • Designed for both indoor and outdoor use • Dimensions: 180cm (L) x 74cm (W) x 74cm (H) • Box Dimensions: 92cm x 75cm x 8cm • Material: High-density polyethylene (plastic) and powder-coated steel • Colour: White tabletop with grey frame • Gross weight (kg) :11.00
50	Heavy Duty Onyx Chair Black(or equivalent)	<ul style="list-style-type: none"> • Heavy duty plastic Chairs • Maximum User weight: 120kg • Colour: Black • Product Dimensions: 450mm x 420mm x 810mm • Onyx Party Chair • Armless Party Chair
1	100-120kg/24h Ice Maker	<ul style="list-style-type: none"> • Dimensions: 665x665x900mm • Weight: 65kg • Power: 0.98kw • Output: 100-120kg/24h • Storage Capacity: 26kg • Ice Type: Square • Ice Size: 2x2cm
2	Canon imageRunner 2224N Multifunction	<ul style="list-style-type: none"> • Bypass Tray Capacity :100 Sheets • Colour : Colour & Black & White • Control Panel :17.8cm TFT LCD WSVGA Touch Screen • Copy Speed: Up to 38 ppm • Dimensions :500 mm (h) x 556 mm (w) x 640 mm (d)

	Color Printer(or equivalent)	<ul style="list-style-type: none"> • Document Feeder: 100 Sheets • Duplex Printing: Yes • Fax: Yes • Functions: Print/Copy/Scan/Fax • Hard Disk : Standard 64GB • Interface Connection: LAN, USB, WiFi • Monthly Print Volume: 10 000 • Operating Systems Support: Windows, MAC • Paper Capacity Maximum :2 300 Sheets • Paper Capacity Standard :650 sheets • Paper Size : A4 • Paper Source Standard :1x 550 Sheet Paper Cassette • Paper Weight Supported : Cassettes – 60 to 163 gsm. Bypass – 60 to 216 gsm. Duplex – 60 to 163 gsm. • Print Resolution: Up to 1200 x 1200 dpi • Printer Type: Laser Multifunction Printer • Scan Destinations: E-mail/Internet FAX (SMTP), Super G3 FAX, SMB3.0, FTP, WebDAV • Scan File Format :TIFF, JPEG, PDF, XPS, Office Open XML • Scan Speed: Up to 95/95 ipm • Standard Memory :2GB RAM • Weight : Approximately 41kg • Range : imageRUNNER
2	CE630 Fridgestar Chest Freezer – 545LT(or equivalent)	<ul style="list-style-type: none"> • 545 Litre • White or metallic finish with granite lid • Fridge / freezer mode • 4 large baskets • Spring hinges • Fixed non-slip feet
1	TABLE MODEL BAIN MARIE 3 DIVISION INCLUDES 6 INSERTS + LIDS	<ul style="list-style-type: none"> • Model: OT-6B • Voltage: 220v • Power: 1.5 kW • Capacity: 1/2 x6 PCS • Tap for easy drainage. • Includes 6x GN1/2 stainless steel inserts with lids.
1	3-burner Folding Boiling Table / Gas Stove	<ul style="list-style-type: none"> • 3 plate folding gas stove – heavy duty • Ideal for restaurants and catering • Strong and includes regulator and pipe • Also available are 3 and 4 plate gas stoves • Folding for easy storage • Dimensions: 1340mm x 580mm x 160mm • Box weight: 22k
1	Popcorn Machine 8kg	<ul style="list-style-type: none"> • Power Supply: 220Volt /50hz • Power: 1.35Kw • Dimensions: 545 x 410 x 735mm • Capacity: 1 x 8kg • Production – 2kg per hour

		<ul style="list-style-type: none"> • Material: Stainless Steel Pot – Inner & Outer • N.W: 25kg • G.W: 26kg
1	Double Barrel Slush Machine – 2x15L Commercial Slush Dispenser 220V	<ul style="list-style-type: none"> • Tank capacity: 2 x 15 liters • Power supply: 220V / 50Hz • Power consumption: 0.700 kW / 3.5A • Compressor: Embraco • Refrigerant: R290 • Drive system: Magnetic drive • Net weight: 41 kg • Gross weight: 45 kg • Machine dimensions: 370 x 470 x 720 mm • Packing dimensions: 550 x 440 x 760 mm • Dual 15L tanks • Independent tank operation • LED illuminated tanks • Magnetic drive system • Suitable for commercial beverage service
1	6 Hole Doughnut Maker Machine	<ul style="list-style-type: none"> • Electricity: 1.6KW, 220V • Donut Diameter: 80mm • Inner Diameter: 36mm • Dimensions: 335mm x 300mm x 245mm • Weight: 17 kg • Consistent Donut Making Performance: Ensures uniform cooking and perfect donuts every time. • Surrounding Drip Tray for Clean Operation: Catches excess batter and oil, keeping your workspace tidy. • Built-In Timer for Precision Cooking: Allows you to set the exact cooking time for consistent results. • Heat Resistant Handles for Safe Handling: Provides safe and comfortable handling, even when the machine is hot. • Light Indicators for Power and Ready Status: Easily check the power status and know when the machine is ready.
1	Small- to medium – sized mobile freezer	<ul style="list-style-type: none"> • External Dimensions (L x W x H): 3.6 m×2.0 m×2.4 m Includes A-frame and axle height) • Internal Cold Room (L x W x H) :2.4 m×1.6 m×2.0 m (As specified) • Provides a walk-in cold room volume of 7.68 m3. • Payload/Loading Capacity :1500 kg to 2500 kg (1.5 to 2.5 Tons) • Compressor Power,1.5 HP (Horsepower), Suitable for the specified volume and often used for freezer applications or large chillers. • Temperature Range (Dual Temp), -20°C to +10°C, A 1.5 HP unit often handles both Chiller (0°C to 10°C) and Freezer (down to –18°C) applications. • Refrigerant Type: R404A or R507 eco-friendly refrigerants like R449A. • Power Consumption, "220V/230V Single Phase, 50Hz", Requires a standard 15 Amp plug or hard wiring.

		<ul style="list-style-type: none"> • Defrost System, Automatic Electric Defrost, Essential for freezer applications to maintain efficiency. • Axle Type: Double Axle, Common for loads over 750 kg and for better stability at highway speeds. • Braking System: Run-in Brakes (or optional electric brakes), Legally required depending on the Gross Vehicle Mass (GVM). • Chassis Material: Heavy-Duty Galvanized or Painted Mild Steel, Ensures corrosion resistance and durability. • Support, Heavy Duty Jockey Wheel and 4 Stabilizing/Crank Legs, for stability and levelling when stationary. • Panel Thickness, 75 mm to 80 mm, High-Density Polyurethane (PUR) or Polystyrene insulation. Thicker is better for freezers. • Panel Finish: Chromadek / Chromadeck (Interior and Exterior), "Durable, hygienic, and easy to clean. • Floor: Galvanized Steel or Aluminium Checkered Plate, "Heavy-duty, non-slip, and water-resistant." • Door: Container-type Door or Insulated Panel Door with heavy-duty hinges and secure locking mechanism., • Interior • Features, "LED Internal Lighting, Drain Plug, Meat Rails
2	Ryobi Petrol Brush Cutter 52Cc 2-Stroke Corded Grass Trimmer (Semi-automatic Feed) (or equivalent)	<ul style="list-style-type: none"> • Feed System: Semi-automatic • Line Exit Type: Dual • Power Source: Corded • Shaft Type: Straight • Colour: Red, Black, White • Engine: Equipped with a powerful 52cc engine, ensuring efficient cutting and trimming for various vegetation types. • Split Tube: Built with a split aluminum tube
2	Ryobi Petrol Lawn Mower (or equivalent)	<ul style="list-style-type: none"> • Cutting System: Rotary • Lawn Mower Type: Push • Power Source: Petrol • Ryobi 145 CC Petrol Lawnmower. • Its powerful 4-stroke engine ensures smooth operation, while the wide cutting width covers more ground in less time. • Lawn Mower Type : Push • Cutting System : Rotary • Cutting Height : 2 cm • Cutting Width : 48 cm • Mulching Capability : Yes
2	Gorilla Xhose Pro 50ft Expandable Garden Hose (or equivalent)	<ul style="list-style-type: none"> • Heavy Duty 5000D Polyester Casing • Strong Reinforced Double Latex Tubing • Up to 12 Bar Burst Pressure: Capable of withstanding high pressure, making it suitable for various demanding tasks. • Free 8-Nozzle Spray: Includes a versatile nozzle set

		<p>for multiple watering options.</p> <ul style="list-style-type: none"> • Lighter, More Compact, More Durable: Designed for easy handling and storage without sacrificing performance. • Expands up to 3x in Length: • Automatically Retracts When Water is Turned Off: Effortlessly retracts to its compact size, reducing hassle and maintenance. • No Kinks. No Tangles: Engineered to prevent frustrating twists and knots during use. • Quick Connectors: Facilitates fast and easy attachment to water sources and accessories. • Size: 50ft
1	565 Chainsaw(or Equivalent)	<ul style="list-style-type: none"> • Engine Specifications • Cylinder Displacement: 70.6 cm³ / 4.3 cu. inch • Power Output: 3.7 kW / 5.0 hp • Maximum Power Speed: 9300 rpm • Idling Speed: 2700 rpm • Fuel Mix: 50:1 (or 40:1) with 2-stroke oil • Spark Plug: NGK BPMR7A • Cutting Equipment • Bar Length: Recommended 15–28 inches • Chain Pitch: 3/8" • Chain Speed: 20.7 m/s • Chain Gauge: 1.5 mm • Weight & Dimensions • Weight (excluding cutting equipment): 6.5 kg / 14.3 lbs • Oil Tank Volume: 0.35 L / 0.7 US point • Features & Ergonomics • Air Filter Type: Felt • AutoTune: Yes (automatic engine adjustment) • LowVib®: Yes (reduced vibration) • Sound Pressure Level: 105 dB(A) at operator's ear
1	Five Thread Edge Overlock Industrial Sewing Machine	<ul style="list-style-type: none"> • Stitch Type: 5-thread safety stitch (3-thread overlock + 2-thread chainstitch). • Needles: 2 (DC x 27 or B27). • Speed: 5,500 – 7,000+ stitches per minute (SPM). • Overedging Width: Generally, 3.0mm – 5.0mm (standard ~4mm). • Stitch Length: 0.5mm – 4.0mm (variable). • Differential Feed: 1:0.7 – 1:2.0 (adjustable to prevent puckering/stretching). • Presser Foot Lift: 5.0mm – 7.0mm. • Lubrication: Automatic. • Motor: Usually direct drive servo motor (integrated/built-in). • Key Features & Applications • Application: Suitable for light to medium-weight fabrics like T-shirts, knitwear, and trousers. • Fabric Handling: Differential feed ensures smooth stitching on stretchable fabrics.

		<ul style="list-style-type: none"> • Safety Stitch: Provides superior durability for garment seams compared to 3-thread alternatives. • Components: Includes a fully assembled table, stand, and, often, a needle cooler.
2	Industrial Electric Steam Iron	<ul style="list-style-type: none"> • Performance: 1200W of power and a specialized base plate featuring multiple air holes, • Durable Construction: Made from high-quality aluminum and iron • Adjustable Temperature Control: Features a 5-speed temperature • Regulation knob allowing precise adjustments from 140°F to 428°F • Large Water Capacity: 3L water • Weight : 6.39 lbs
1	MAC AFRIC CUT100GT Professional 380 V Plasma Cutter (or equivalent)	<p>Technical Specifications</p> <ul style="list-style-type: none"> • Input Voltage: 380 V (Three Phase) • Frequency: 50 HZ • Rated Input Current: 23 A • Rated Power: 15.1 KVA • Output Current Adjusting Range: 20 – 100 A • Rated Output Voltage: 120 V • Duty Cycle: 0.4 • Efficiency: 0.85 • Power Factor :0.9 • Back Blowing Time: 5 – 25 S • Arcing Mode: High frequency Arc Ignition • Cutting Capacity: 1 – 25 mm <p>Dimensions</p> <ul style="list-style-type: none"> • Package Length (cm): 59.18 • Package Width (cm): 35.81 • Package Height (cm): 60.20 • Package Weight (kg): 29.160000 • Duty Cycle: 60% • Voltage: 3P AC380V • Rated Input Current: 23 A
1	MAC AFRIC 300 Liter 5.5 KW (7.5 HP) 380 V Belt Driven "V-Type" Compressor (or equivalent)	<p>Technical Specifications</p> <ul style="list-style-type: none"> • Tank Capacity: 300 L • Motor Output: 5.5 KW (7.5 HP) • Outlet Air Flow: 27.49 CFM (778 L/MIN) • Max Tank Pressure: 8 Bar (116 PSI) • Amperage: 11.5 A • Compressor Type: Belt Driven V-Head • RPM: 2 850 RPM • Voltage: 380 V 50 HZ <p>Dimensions</p> <ul style="list-style-type: none"> • Package Length (cm): 165.00 • Package Width (cm): 53.00 • Package Height (cm): 103.00 • Package Weight (kg): 220.000000
1	HP Color LaserJet Professional	<ul style="list-style-type: none"> • Product: HP Color LaserJet Professional CP5225. • Print technology: Laser • Number of print cartridges: 4

	CP5225 Color A3 Laser Printer CE710A (or equivalent)	<ul style="list-style-type: none"> • Maximum duty cycle: 75000 pages per month • Maximum resolution: 600 x 600 DPI • Maximum ISO A-series paper size: A3. • Print speed (black, normal quality, A4/US Letter): 20 ppm. • Display: LCD • Product color: Black, Grey
1	GIA Gem Identification Stater Pack(or equivalent)	<ul style="list-style-type: none"> • A gemological microscope or loupe for detailed examination • A 10x triplet loupe for clarity and inclusion analysis • Gemstone tweezers for safe handling of stones • A gem cloth and cleaning materials • A dichroscope for observing pleochroism • A polariscope for identifying optical properties • A refractometer (where applicable) for measuring refractive index • Spectroscope for analysing light absorption patterns • Reference stones or samples for comparison and study • Supporting instructional materials/manuals
2	DEWALT 18V Hammer Drill & Bit Set DCD776S2A(or equivalent)	<ul style="list-style-type: none"> • Rating: Industrial • Battery Type: Lithium Ion • Voltage :18V • Battery AH :1.5Ah • Batteries Included :2 Batteries • Motor Type: Brushed • Hammer Action: With Hammer • Chuck Size: 13mm • Max Torque (Hard) :42Nm • Max Torque (Soft) :24Nm • Output Power :300W • No Load Speed (1st) :0-450rpm • No Load Speed (2nd) :0-1500rpm • Impact Rate (1st Gear) : 0-7650bpm • Impact Rate (2nd Gear) : 0-25500bpm • Drilling Capacity [Wood] :30mm • Drilling Capacity [Metal] :13mm • Drilling Capacity [Masonry] :13mm • Case Included: Carry Case • Set must include 1x Hammer Drill, 2x 18V 1.5Ah Batteries, 1x Charger, 1x Carry Case, 1x 109pc Accessory Set
1	Ryobi 1200W Hand Planer with Joint Bracket (or equivalent)	<ul style="list-style-type: none"> • Material: Plastic • Color : Multicolor • Product dimensions: 36L x 19W x 21H centimeters • Item weight: 5 Kilograms • Style: Classic • Power source: ac • Base material: aluminum
1	Heavy duty aluminum 12	<ul style="list-style-type: none"> • 150kg maximum vertical load (MSVL), • With safe working loads ranging from 115kg to 135kg.

	step 3.6 m stepladder	<ul style="list-style-type: none"> • Size: 3.6m (12 treads) • Materials: Aluminum • Key safety features: non-slip feet, spreader bars • Dimensions: 3600 mm(l) x 600 mm(w) x 170 mm(h)
1	Fiberglass Tape Surveyors, 50 Meter Length	<ul style="list-style-type: none"> • Color: Orange • Brand: Fra gram • Product dimensions :28L x 18W centimeters • Item weight: 0.48 Kilograms • Measurement accuracy: +/-0.5% • Manufacturer: Fra gram
1	PVC Peg and Pole Tent 7m x 12m	<ul style="list-style-type: none"> • Size: 7m x 12m x 4m • Material roof: heavy duty pvc 500gsm • Side walls: heavy duty pvc 500gsm • Frame: electroplated steel poles • Side wall plain: heavy duty pvc 500gsm • Heat vent: 4 • Total weight: 180kg • Pack size: tent 400cm x 80cm x 60cm 88kg • Pack size frame: 2 x 200cm x 15cm x 15cm 11kg each • 3 x 200cm x 10cm x 80cm 7kg each
1	Dewalt 18V Brushless Angle Grinder with Paddle Switch DCG413N (or equivalent)	<ul style="list-style-type: none"> • Voltage 18V • Battery Type Lithium-Ion • Batteries Included No (Bare Tool) • Output Power 1647 W (with 54V 9Ah battery) • Motor Type Brushless • No Load Speed 9000 rpm • Disc Size 115 mm • Spindle Thread M14 • Switch Type Paddle (Deadman) • Lock-On Switch No • Product Rating Industrial • Includes
1	18V Flexvolt Advantage Circular Saw(or equivalent)	<ul style="list-style-type: none"> • Power Source: Battery Powered • Other Special Features of the Product: Brake • Voltage: 60 Volts • Speed: 5800 RPM • Number of Teeth: 24 • Cutting Angle: 90 Degrees • Wattage: 2456 watts • Surface Recommendation: Wood • Item Dimensions: L x W x H 15.4"L x 11.81"W x 11.02"H (39.1 x 30 x 28 cm) • Item Weight: 8.2 Pounds (3.72 kg) • Blade Length 7.25 Inches (18.4 cm) • Included Components: (1) DCS578 60V MAX* Brushless 7-1/2 in. Cordless Circular Saw; (1) Blade; (1) Blade Wrench; (1) Charger; (2) DCB609 FLEXVOLT® 9.0Ah Battery; (1) Kit Bag
1	DeWalt Cordless Planer 18V Brushless (or equivalent)	<ul style="list-style-type: none"> • Rating: Industrial • Battery Type: Lithium Ion • Voltage: 18V • Motor Type: Brushless

		<ul style="list-style-type: none"> • No Load Speed (1st): 15,000rpm • Depth of Cut [Wood]: 2mm • Planer Width: 82mm • Rebating Depth: 9mm • Shoe Length: 295mm • Drum Diameter: 48mm • Case Included: TSTAK Case
1	Nailer Stapler	<ul style="list-style-type: none"> • Li-Ion STAPLER / Type 50 staples / Staple size- Width: 10mm / Lengths:10 22mm / Magazine Capacity of 98pcs • Machined aluminum magazine ensures smooth staple loading and feeding. • Ergonomically designed rubberized grip provides more control and comfort. • Driving depth adjustment is provided. • Remaining staple view window. • Staple can be redone after the other. • Rigid aluminum hammer case. • Depth Adjusting • Specifications • Voltage :18V 5.0Ah / 3.0Ah / 1.5Ah • Capacity Width :10mm • Capacity Length :10, 13, 16, 19, 22mm • Magazine Capacity :98pcs • Dimensions (LxWxH) / Net weight :251 x 91 x 212mm / 2.4kg
1	MAC AFRIC 7.5 kVA (6.2 KW) Standby Petrol Generator (with T.F.V meter) (or equivalent)	<ul style="list-style-type: none"> • Generator Type: Open Frame • Power Output: 6.2 KW (7.5 KVA) • Output Voltage: 230 V (Single Phase) 50 Hz • Amperage per Phase: 25 A • Decibel Rating :96 dB(A) • Fuel Consumption: 2.5 L/PH Full Load • Type: Petrol Powered • Tank Capacity: 25 L • Start Type: Pull Start or Electric Start • Voltage Regulator: Yes (AVR) • Oil Capacity :1.1 L • Engine Displacement 445 CC • Engine Model: BSGE9500E-2 • Total Running Time: 9 Hours
1	Genesis Nutrimax Blender 2200 W Mixer Grinder (1 Jar, Grey) (or Equivalent)	<ul style="list-style-type: none"> • Material: Stainless Steel • Blade Material: Stainless Steel • Color: Grey • Convenience Features: Auto Switch Off • Energy Efficiency Label: A • Grinding Features: Blending • Number of Speed Settings :4 • Packaging Type: Each • Power Consumption :2200 W • Series :77716 • Total Jars :1 • Type: Mixer Grinder

		<ul style="list-style-type: none"> • Motor Details: AC motor • Number of Blades :4
1	Swan SIM02S Ice Maker for Hotel and Other Commercial Spaces (Grey) (or equivalent)	<ul style="list-style-type: none"> • Suitable For: Hotel and Other Commercial Spaces • Colour: Grey • Material: Stainless Steel • Indicators Present: Add Water, Ice Full • Storage Capacity :20 kg • Power Consumption :110 W • Brand Colour: Grey • Control Type: Push Button Control • Ice Basket Included: Yes • Shape of Ice Cubes: Bullet • Ice Making Capacity :20 kg • Self-Clean: Yes • Removable Ice Basket: Yes • Value Features: Compressive Silent Air Cooling, Intelligent Noise Reduction
1	8 Drop Bevel Paving Mould (or equivalent)	<ul style="list-style-type: none"> • Capacity: 8 bricks per drop (8-up). • Dimensions: Standard bevel brick size is 200mm x 100mm. • Thickness: Generally available in 50mm, 60mm, or 80mm. • Material: Usually constructed from 3mm thick steel, often featuring welded top/bottom liner plates for increased rigidity. • Production Capability: 8-drop machines can produce roughly 600 bricks per hour (depending on machine). • Brick Finish: Smooth bevel edge. • Compatibility: Designed to fit electric-operated, manual, or automatic egg-layer paving machines.
1	MAC AFRIC Hydraulic Hand Pallet Stacker 1 Ton (740 x 900 mm) (or equivalent)	<ul style="list-style-type: none"> • Capacity: 1 Ton (1000 kg) • Lowered Height: 85 mm • Total Height: 2 m • Lift (Stroke / Travel):1.6 m • Fork Length: 900 mm • Fork Width: 145 mm • Overall Width: 770 mm • Distance Between Forks :375 mm • Handle Length: 950 mm • Ground Clearance :30mm • Running Output: ~6,800W - 7,000W • Model: RG-7900K
1	Catering table 1.2m Plain top with undershelf & legs - s/steel	<ul style="list-style-type: none"> • 1.2m Stainless Steel Surface Plain • Weight Capacity: 250kg • 430 Grade Stainless Steel • Removable Galvanized Bottom Shelf & Legs • Dimensions: 600mm x1200mm x 850mm + 100mm Splash Back • Packaging: 640mm x 1240mm x 180mm • N.W: 19.65kg • G.W: 21.60kg

1	Gas Griller – Combo (8 Burner)	<ul style="list-style-type: none"> • Features: • Griller • Flat Top Griller • Double Fryer • Gas Combo Griller Machine 8 Burner Model • All-In-One Multipurpose Grill • Ribbed Grill Plate (x1), Flat Grill Plate (x1), 8L Deep Fryers (x2) • Inserts & Baskets (x2), High Pressure Burners (x2) • Bottom Drip Tray LRB Wind Cover • Removable Slip Legs, Heavy Duty Steel & Iron Build • Dims Assembled (1250x590x910mm) • Dims Unassembled (1250x590x450mm)
1	20lt Dough Mixer	<ul style="list-style-type: none"> • Capacity: 20 Liter bowl / 8kg maximum dry flour. • Power: 1.1 kW – 1.5 kW (220V, single-phase, 50Hz). • Speeds: Usually 2 speeds (spiral: 125/250 rpm; bowl: 12.5/25 rpm). • Dimensions: Approximately • Weight: Approximately 90kg – 105kg. • Construction: Stainless steel bowl, hook, and safety guard. • Safety: Safety grid/cage, emergency stop button
1	A3 DTF Printing Machine (or equivalent)	<ul style="list-style-type: none"> • Comes with an Automatic Powdering Machine Complete Package, with EPSON® XP600 Printhead, InkRIP RIP Software, CMYK/White Inks, Ink Cleaner, White Adhesive Powder and 30cm Wide DTF Film Roll • PrintEXP-A3 Controller, Printhead Temperature Monitor and • Easy to Use Alignment Tools for Hardware Fine Control • Bi-Directional Printing Enabled, Printing Speed on 12 Pass Quality • Mode is ~0.5m /h • EPSON XP600 Disposable Printhead Suitable for Solvent Inks, ECO • Solvent Inks, Waterbased Inks, DTF Inks, UV Inks etc. • Negative Pressure Continuous Ink Supply System (CISS), also Call • Bulk Ink System • Automatic Printhead Cleaning Functions Included, Anti Ink • Blocking, Auto Flash and Moisturizing • Automatic Lifting Printhead Ink Capping System, Easy Alignment • and Better Printhead Seal Protection • Connect to Computer by 100M Network Cable for Fast and Stable • Printing Process • With Single EPSON® XP600 Printhead, Ink RIP Software, CMYK • and White 1L Inks, 1L Ink Cleaner and White Adhesive Powder

		<ul style="list-style-type: none"> • Use Household 220V Electricity, Stand-by Power Consumption 30W • and Maximum Power Consumption 400W • Powder Baking Oven Heat Up 3 of 700W Heating Element for • Fast and Even DTF Powder Melting • Oven Temperature Monitored and Adjustable, Temperature Control • Precision Within Less Than 1 Degree Celsius • DTF Powder Shaking and Dusting Speed Adjustable with Easy to Use • Percentage Dial • Cooling Fan Included to Lower Film Temperature Before Rolling to • Avoid Ink/Powder Contamination • Fume Extractor Outlet Included (Fume Extractor NOT Included), • Universal 50mm Fume Extraction Outlet • Adjustable Take-up Roller Tension Included • Support Printing Resolution 720×720 DPI (4 pass), 720×1080 DPI (6 • pass) and 720×1440 DPI (8 pass) • Fully Robotic Silicon Sealed of 2x 29PIN Cables Preassembled, • Speed Up Installation • Sealed Data Cables Has been Proven Prevent Over Flushed ink
<p>1</p>	<p>Carpet Cleaning Package comes with (Carpet & Upholstery Cleanr, Carpet Blower and Rotary Carpet & Floor Scrubber(or equivalent))</p>	<p>Carpet & Upholstery Cleaning Machine K353</p> <ul style="list-style-type: none"> • The K353 has more powerful vacuum motors built in for superior suction power. • 2 vacuum motors that may be switched on individually depending on the requirement for suction power. • Water pump that is used for pumping water from the machine to the tools that will be used by the operator. • The machine comes with accessories as well • 1 × Floortool • 1 × Handtool • 2 × Lids • Weight :40 kg • Dimensions :65 × 55 × 100 cm <p>Carpet Blower Plastic</p> <ul style="list-style-type: none"> • A plastic blower that can be used to circulate air. • Voltage: 220V – 240V • Frequency: 50Hz • Fan wheel size: 270mm • Power: 900W • Air delivery • L-gear: 110m2/min • M-gear: 120m2/min • H-gear: 160m2/min • Weight • 20 kg

		<ul style="list-style-type: none"> • Dimensions • 54 × 46 × 58 cm <p>Rotary Carpet and Floor Scrubber</p> <ul style="list-style-type: none"> • Rotary 425 with Paddrive • Weight :31.6 kg • Dimensions :50 × 35 × 50 cm • Voltage :220-240V • Frequency :50Hz • Power: 1200 W • Brush Speed :154RPM • Motor Speed 1400RPM • Length Of Cable:12m • Base Diameter:430mm • Max. Tank Capacity: 16L
1	Wheel Balancer CB530(or equivalent)	<ul style="list-style-type: none"> • Advanced Balancing Technology: Ensures high precision with a balancing accuracy of 1 gram and balancing speed of 200 rpm. • Versatile Wheel Compatibility: Accommodates a wide range of rim diameters from 10" to 24" and rim widths from 1.5" to 20". • Quick Cycle Time: Delivers results in a fast 10-second cycle, increasing productivity. • Intuitive Display and Conversion: Offers clear unbalanced value display and easy ounce/gram, mm/inch conversions. • User-Friendly Operation: The hood-actuated auto-start feature adds to the machine's convenience and ease of use. • Robust Design: Can handle a maximum wheel weight of 60 kg and has a sturdy build weighing 83 kg. <p>Technical Specifications</p> <ul style="list-style-type: none"> • Max Wheel Weight: 60kg • Max Power Consumption:180–300W • Power Supply: Single phase, 220V • Balancing Accuracy: 1g • Balancing Speed: 200rpm • Rim Diameter Range: 10" to 24" (256 to 615 mm) • Rim Width Range:1.5" to 20" (40 to 510 mm) • Cycle Time: 10 seconds • Net Weight :83 kg • Sound Pressure Level :<70 dB (A) • Operating Temperature Range: 0 to 50°C
1	MAC AFRIC 100 Bar Electric High-Pressure Washer (220V)(or equivalent)	<ul style="list-style-type: none"> • Voltage: 220V 50Hz • Motor Power: 2.2 kW (All-Copper Motor) • Flow Rate: 15 L/min • Motor RPM: 1450 RPM • Maximum Pressure: 100 Bar • Hose Length: 10 meters • Wheels:10" ABS Plastic Wheels • Safety Features: Thermal Protect Valve, Safety Lock on Trigger Gun • Build Quality: Brass Cylinder, Advanced Sealing

		Technology
1	MAC AFRIC 150 Liter 2.2 KW (3 HP) 230 V Belt Driven Compressor (or equivalent)	<ul style="list-style-type: none"> • Tank Capacity: 150 L • Motor Output :2.2 KW (3 HP) • Outlet Air Flow: 8.83 CFM (250 L/MIN) • Max Tank Pressure :8 BAR (115 PSI) • Amperage: 13.7 A • Compressor Type: Belt Driven • RPM: 2 850 RPM • Voltage: 230 V @ 50 HZ • Phase Single Phase
12	Round folding table 1.8m (10–12-Seater)	<ul style="list-style-type: none"> • Round folding table 180 (10–12-Seater) • Suitable for indoor and outdoor use • Table folds in half with folding legs and a carry handle • Easy to carry and store • Dimensions: 180x180x74cm • Weight: 24kg • Packed: 1 pce per box • Box dimensions: 189X99X10cm • Weight: 26kg per box
10	Centerpiece - Trumpet Gem Vase	<ul style="list-style-type: none"> • Metal Slim Waist Trumpet Vase • Color: Gold • Shape: Diamond, Trumpet • Style: Elegant • Height: 55 cm • Diameter: 15 cm
4	No.25 Black Cast Iron Potjie Pot	<ul style="list-style-type: none"> • No.25 • 3-Legged Black Cast Iron Potjie Pot • Water Capacity 70Lt • Cast Iron and oil cured – ready for use. • Heavy duty, • Used in an open fire or over warm coals even on a gas stove or Coal & Wood burning stove. • Complete with a carrying handle & lid for easy use.
1	3x6m Tent	<ul style="list-style-type: none"> • A complete tent with roof, walls, pegs and poles that is easy to assemble. This is an ideal tent for weddings and parties. • 3x6m Tent • Complete with roof, walls, pegs and poles • 260-gram polyester coated pvc • Church seating: 40 chairs (chairs only) • Round: 20 – 30 chairs • Dimensions: 600x300x282cm • Box Dimensions: Box 1: 196x23x15cm (22.8kg) • Box 2: 155x19x9cm (9.0kg) • Box 3: 57x50x42cm (30.2kg)
2	Luxury Spa Beds	<ul style="list-style-type: none"> • Breathing Hole Plug: Perfect for facials or other face-down treatments, ensuring comfort and ease. • Solid Strong Wooden Frame: Made with durable mahogany framework to support long-term use. • Durable Vinyl Upholstery: Easy to clean and maintain while providing a professional look.

		<ul style="list-style-type: none"> • High-Quality Foam: Offers superior comfort for clients during extended treatments. • Dimensions: 80cm: Length: 1800mm, Width: 800mm, Height: 770mm • Colour: Black • Headrest Extension (Face cradle) • Adjustable Headrest Section: Offers 3 height settings for personalized comfort. • Breathing Hole Plug: Ideal for face-down treatments. • Solid Strong Wooden Frame: Built to last and support. • Durable Vinyl Upholstery: Easy to clean for long-term hygiene. • High-Quality Foam
1	Soft serve (ice cream) machine 2 flavors mix floor model 22l	<ul style="list-style-type: none"> • Model Number: 3 Flavor FM (22L) • Ice Maker Type: Electric • Capacity:22 L • Color: Silver, Black • Material: Stainless Steel • Used For: Making Ice Cream • Power Requirement: 220V • Power Consumption: 2000 W • Brand Colour: Silver, Black • Model Name 3 Flavour Ice Cream Machine Floor Model • Installation Type: Floor Standing • Non Slip Feet :Yes <p>Dimensions</p> <ul style="list-style-type: none"> • Depth: 76 cm • Height :130 cm • Width: 54 cm
1	RECORDING & EDITING COMPUTER (includes desktop computer,27-inch monitor and 2x 2t external hard drives) (or equivalent)	<p>Desktop Computer</p> <ul style="list-style-type: none"> • Dell Pro Tower Essential Core i7-14700 16GB RAM 512GB SSD Win 11 Pro Desktop PC • Future proof of expandability • DDR5, up to 3 PCIe slots, up to 1 M.2 SSD and 1 SATA • Powered by 14th Generation Intel Core Processors • Windows 11 Pro (Dell Technologies recommends Windows 11 Pro for business) • Technical Specification • Product: Dell Pro Tower Essential QVT1260 Desktop PC • Chassis type: Tower PC • Product type: PC • Processor family: 14th Generation Intel Core i7 • Processor model: i7-14700 • Processor frequency: 1.50 GHz / up to 5.40 GHz (33MB Cache, 20 Cores) • Internal memory: 16 GB 5600 MHz (1 x 16 GB) • Internal memory type: DDR5-SDRAM • Total storage capacity: 512 GB M.2 PCIe NVMe • Storage media: SSD

- On-board graphics card model: Intel UHD Graphics 770
- Keyboard and Mouse: Dell Wired Keyboard - KB216 - US International (QWERTY) and Optical Mouse - MS116 - Black
- Connectivity: Wi-Fi 6 + Bluetooth
- Operating system installed: Windows 11 Pro
- Power supply: 180 W
- Weight: Starting at 4.16 kg
- Front and slots
- Power Button
- Headset Jack
- 2x USB 2.0 Type-A
- 1x USB 3.2 Type-A
- 1x USB 3.2 Type-C
- Rear view
- DisplayPort 1.4
- HDMI 2.1
- 2x USB 3.2 Type-A
- 2x USB 2.0 Type-A
- Expansion Slots
- Power Supply
- Power Indicator
- Padlock Loop
- RJ45 Ethernet port (1Gbps)
- Kensington Lock Slot

Dell SE2725HM 27-inch 1920 x 1080p Full HD 5ms IPS Monitor 210-BQZW

Technical Specification

- Product: Dell SE2725HM Monitor
- Display diagonal: 68.6 cm (27")
- Display resolution: 1920 x 1080 pixels @ 100Hz
- HD type: Full HD
- Display technology: LED Edge light System
- Panel type: In-plane Switching (IPS) Technology
- Response time: 5ms GTG (Fast), 8ms GTG
- Native aspect ratio: 16:9
- Brightness: 250 cd/m2
- Native Contrast Ratio: 1000:1
- Viewing angle, horizontal: 178°
- Viewing angle, vertical: 178°
- HDCP Supported: Yes
- Stand Adjustments: Tilt
- Tilt Angle: -5° to 21°
- VESA mounting: 100 x 100 mm
- Product colour: Black
- Weight: 4.40 kg

Ports and Slots

- Security lock slot (based on Kensington Security Slot)
- Power connector
- HDMI

		<ul style="list-style-type: none"> • VGA <p>Toshiba 2.5-inch 2TB Hard Drive Canvio</p> <ul style="list-style-type: none"> • Fast USB 3.0 port (USB 2.0 compatible) • High transfer speeds • 2.5" External hard drive • 2TB capacity
--	--	---

4. Key Deliverables / Outputs of the Services Provided

- Supply and delivery of the items as specified in the table above.
- The service provider must provide a proof of delivery note upon completion of delivery.

5. Duration of the Project

- All items must be supplied and delivered within one (1) month from the date of receipt of the official appointment letter.

6. Financial Issues

- An itemised budget breakdown is required.
- The budget must include cost per item, total cost and delivery costs to Frances Baard District Municipality

7. Warranty

All products/items must be covered by a minimum of 12 months warranty

8. Proposals

The proposal should clearly outline the following:

- A list of all items to be procured.
- Warranty details to each item (minimum of 12 months).

Detailed specifications, accompanied by images of each required item, must be provided in the form of a brochure or catalogue

8. Reporting

The service provider is required to work with the Project Manager to ensure effective delivery and communication throughout the project duration.

9. Proposed evaluation

The evaluation of this bid will be conducted in the following two stages.

Firstly, the specifications of the items / products offered will be verified. A proposal will be disqualified if it fails to meet the minimum specification as required in the bid specification.

Thereafter, only those qualifying bids will be evaluated in terms of the 80/20 preference points systems, where the 80 will be used for price **ONLY** and the 20 may be awarded to a tenderer for the specific goal specified for this tender.

10. Functionality Criteria

Criteria to be used for functionality.

CRITERIA	POINTS
<p>Relevant expertise and experience in supply and delivery of machinery and equipment.</p> <ul style="list-style-type: none">- 3 or more reference letters = 25- 2 reference letters = 15- 1 reference letter = 5- No reference letter = 0 <p>The duly signed reference letter with the client's letterhead must indicate the company name, physical address, contactable person name and contact details (contact number / email address) that similar work was done by your company.</p>	25
<p>Detailed specification and pictures (catalogue/brochure).</p> <ul style="list-style-type: none">- Detailed specification and pictures of goods = 25- Specification of goods and pictures but not detailed = 15- No specification and pictures = 0	25

Total	50

NB: Bidders that score less than 30 points for functionality will be deemed non-compliant with the bid specification.

Evaluations criteria (price)

Only fixed prices for all deliverables will be accepted. The price should be inclusive of VAT.

Price	80
--------------	-----------

Evaluations criteria (specific goals)

Specific Goal	20
----------------------	-----------

The objectives as specific goals in line with section 2(1) of the Act, is to:

(ii) Promote local labour and/ or promotion of enterprises located in the district municipal area of which 20 points is allocated, enterprises within Northern Cape outside the district municipal area 10 points and enterprises outside Northern Cape 5 points.

The 20 points will be allocated if a tenderer has the following proof.

Specific Goals	Points	Proof
1. Enterprises located in the district municipal area	20	Proof of address in the name of the company. The following proof of residence will be acceptable for claiming points: 1. Municipal Account / account confirmation.
2. Enterprises located within Northern Cape outside the district municipal area	10	

3. Enterprises outside Northern Cape	5	2. Tribal Letter. 3. Lease agreement signed by landlord and the bidder.
--------------------------------------	---	--

Note:

- In order to claim for these points, bidders are required to submit proof of address in the name of the company.
- A tenderer failing to submit proof with his quotation/tender may not be disqualified but will only score 0 points.

11. Statutory and general

The following conditions will apply:

- Price quoted must be valid for ninety (90) days from date of your offer.
- Price quoted must be firm and must be inclusive of VAT.
- A firm delivery period must be indicated.
- Proof of municipal account.
- Proof of a summary report of central supplier database

This proposal will be evaluated in terms of the 80/20 preference point system as prescribed in the Preferential Procurement Regulations, 2022 pertaining to the PPPF Act (No 5 of 2000) and Supply Chain Management Policy of Frances Baard District Municipality (NB: MDB forms are obtainable at FBDM office during working hours as well as on the FBDM website: www.francesbaard.gov.za):

- MBD 1 Invitation to bid
- MBD 3.3 Pricing schedules
- MBD 4 Declaration of interest
- MBD 6.1 Preference claim in terms of the Preferential Procurement Regulations
- MBD 7.2 Contract form
- MBD 8 Past Supply Chain management practice

- MBD 9 Certificate of independent bid determination

12. Disqualifications

- All bids that do not submit a tax clearance certificate (original valid tax certificate)
- Price quotation must be firm, fixed and VAT Inclusive (delivery date must be indicated).
- Failure to submit detailed specification and pictures of the products (catalogue / brochure).
- All bids that are received late will be disqualified.
- All bids that are faxed e-mailed or telegraph will be disqualified.
- Failure to complete all required bid documents.
- Terms and conditions that are not within this bid documents specifications.

Frances Baard District Municipality reserves the right to accept a portion of a tender, and the lowest and/or any tender will not necessarily have to be accepted.

The closing date for submissions is 22 May 2026 at 12h00. Proposals should be clearly marked: BID 27/25: SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT 2025/26 and submitted / delivered to **The Municipal Manager (Ms. M. Bogatsu), Frances Baard District Municipal Offices: 51 Drakensberg Avenue, Carters Glen, Kimberley. For SCM related enquiries, please contact Mr. E. Tlhageng on 053 838 0946 and for technical assistance please contact the project manager Ms L. Somoro at 053 838 0911.**

**PART A
INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE FRANCES BAARD DISTRICT MUNICIPALITY					
BID NUMBER:	BID 27/25	CLOSING DATE:	22 MAY 2026	CLOSING TIME:	12H00PM
DESCRIPTION	SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT 2025/26				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).					

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX
SITUATED AT (STREET ADDRESS)

Frances Baard District Offices (Tender Box)
51 Drakensberg Avenue
Carters Glen
Kimberley
8301

SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
TAX COMPLIANCE STATUS	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT	<input type="checkbox"/> Yes <input type="checkbox"/> No	

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER PART B:3]
TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE	R
SIGNATURE OF BIDDER	DATE	
CAPACITY UNDER WHICH THIS BID IS SIGNED			

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT	FINANCE – SCM	CONTACT PERSON	Ms. Lebohang.Somoro
CONTACT PERSON	MR. Eric Tlhageng	TELEPHONE NUMBER	053 838 0911
TELEPHONE NUMBER	053 838 0946	FACSIMILE NUMBER	053 861 1538
FACSIMILE NUMBER	053 861 1538	E-MAIL ADDRESS	Lebohang.somoro@fbdm.co.za
E-MAIL ADDRESS	Eric.tlhageng@fbdm.co.za		

**PART B
TERMS AND CONDITIONS FOR BIDDING**

1. BID SUBMISSION:	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED– (NOT TO BE RE-TYPED) OR ONLINE
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.6	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.7	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? <input type="checkbox"/> YES <input type="checkbox"/> NO
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.	

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.
NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

DATE:

PRICING SCHEDULE – FIRM PRICES

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of bidderBID: 27/26
Closing Date: 22 MAY 2026

BID 27/25: SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT 2025/26

Quantity	Item	Specification	Unit price	Total
4	HP 15s Intel® N100 8GB RAM And 256GB (or equivalent)	<ul style="list-style-type: none"> • Windows 11 Home • 15.6 Inch FHD anti-glare display • 8GB RAM and 256GB SSD storage • Intel® N100 processor • Camera Privacy Shutter • Includes HP 15.6" backpack and mouse • Includes Norton™ 360 standard 		
1	Deli A4 Black Comb Binding Machine 450 sheets (or equivalent)	<ul style="list-style-type: none"> • SKU: 384c9ed3 • Ean code: 6921734938732 • Gross weight (kg): 5.30 • Product width in cm: 47.50 • Product depth in cm: 20.00 • Product height in cm: 32.50 		
22	Belle Chairs – Plastic	<ul style="list-style-type: none"> • Belle Chairs / Bella Chairs • Floral Trim Design on Plastic Chair • The Floral Trim May Differ slightly due to batch & supplier differences. • For Home Use or Events Use • Approx: 3.3 - 3.5KG • 0325EXD 		
1	Pro power Gasoline High Pressure Washer 6.5hp (or equivalent)	<ul style="list-style-type: none"> • 5 Nozzles - Optimized 5 nozzles to meet different washing demands. • Fuel tank - 3.5 Large capacity • Muffler - To keep a lower-noise comfortable working environment • Switch - Quick stop function Recoil start: Easy-start design by hand Oil tank: With oil alert system Tire 		

		<p>design: Good slip resistance and high elasticity Quick change Lange: Simplypull back the collar to easily</p> <ul style="list-style-type: none"> • SKU: 3381ce7b • Ean code :6000088000180 • Gross weight (kg) :36 • Product width in cm :45 • Product depth in cm :73 • Product height in cm: 53.5Fra 		
1	Professional Makeup Chair for Artists	<ul style="list-style-type: none"> • High quality professional foldable makeup chair. This professional makeup chair is designed with a foldable aluminum frame which makes the chair very easy to pack and store. For those aspiring makeup professionals and directors, this is a comfortable chair to help make your job easier and more comfortable. Suitable for many other uses as well • Features • - Size: 110cm x 50cm x 42cm • - Comfortable • - All-in-one chair – ideal for directors and makeup artists • - Easy transport and move around • - Quick and easy to assemble and use • - Maximum Capacity: 120kg 		
1	Make-Up Carry Case - Black (Large) with Pull Up Handle	<ul style="list-style-type: none"> • Materials: Acrylonitrile Butadiene Styrene (ABS) • Makeup Bag Type: Cosmetic Bag, Makeup Bag • Assembled Dimensions :33.5 x 40.5 x 67 cm • Basic Color: Black 		
1	The Regent Pedi Station in white (or equivalent)	<ul style="list-style-type: none"> • Superior quality manual pedi station • Structure: Full chrome metal frame with robust internal structures. • Material: High-density memory foam padding with high-grade faux leather (PVC leather). • Adjustability: Features a heavy-duty hydraulic pump capable of handling over 450 lbs. • Design: Typically features a tufted seat and backrest. 		

		<ul style="list-style-type: none"> • Dimensions & Adjustability: Often includes 360-degree rotation, with seat height adjustments, and reclining backrests (up to 130 degrees). 		
1	Collapsible Foot spa	<ul style="list-style-type: none"> • 2 rows of air jets, 5 per side. • Anti-collapsible support bars. • LED lights to indicate when the heat function is on. • 2-pin plug. • 230 V - 50 Hz. 60W. • Dimensions: 8.5 x 42 x 40.5cm 		
2	Large Multi-Level Braai - 75cm Charcoal Braai	<ul style="list-style-type: none"> • Large Multi-Level Braai - 75cm • With its spacious cooking area and multiple level adjustments, • For grilling meats, vegetables, and more simultaneously • Features adjustable grill heights to easily control heat levels for different foods. • Material: Steel • Dimensions: L97 x W79 x H89cm • Cooking area: L75 x W35cm • Cooking Height: 79-87cm – • Fire bowl: L80 x W40 x H20, T 0.7mm steel with high temperature paint • Thermometer: Stainless steel - cooking grid: 2PCS, L39 x W37cm, 3*4 steel wire with Chrome coated • Charcoal Pan : L34 x W25 x H5 cm, Zinc - Side panel : left and right, L28 x W13cm, T1.2mm steel with high temperature paint - Back panel : L80 x W13cm, T 0.7mm steel with high temperature painting - Front panel : L70 x W20cm steel with black powder coated - Leg : 4pcs , L2.5 x W2.5cm , steel with powder coating - Base net : L34 x W64cm , steel with powder coating - Wheel : 2pcs , Dia15cm, plastic wheel. 		
3	6-Seater Folding	<ul style="list-style-type: none"> • Folding Table 180cm – Heavy Duty Plastic Top with Steel Frame • Designed for both indoor and 		

	Rectangular Trestle Table - Heavy Duty	<ul style="list-style-type: none"> outdoor use Dimensions: 180cm (L) x 74cm (W) x 74cm (H) Box Dimensions: 92cm x 75cm x 8cm Material: High-density polyethylene (plastic) and powder-coated steel Colour: White tabletop with grey frame Gross weight (kg) :11.00 		
50	Heavy Duty Onyx Chair Black (or equivalent)	<ul style="list-style-type: none"> Heavy duty plastic Chairs Maximum User weight: 120kg Colour: Black Product Dimensions: 450mm x 420mm x 810mm Onyx Party Chair Armless Party Chair 		
1	100-120kg/24h Ice Maker	<ul style="list-style-type: none"> Dimensions: 665x665x900mm Weight: 65kg Power: 0.98kw Output: 100-120kg/24h Storage Capacity: 26kg Ice Type: Square Ice Size: 2x2cm 		
2	Canon imageRunner 2224N Multifunction Color Printer(or equivalent)	<ul style="list-style-type: none"> Bypass Tray Capacity :100 Sheets Colour : Colour & Black & White Control Panel :17.8cm TFT LCD WSVGA Touch Screen Copy Speed: Up to 38 ppm Dimensions :500 mm (h) x 556 mm (w) x 640 mm (d) Document Feeder: 100 Sheets Duplex Printing: Yes Fax: Yes Functions: Print/Copy/Scan/Fax Hard Disk: Standard 64GB Interface Connection: LAN, USB, WiFi Monthly Print Volume: 10 000 Operating Systems Support: Windows, MAC Paper Capacity Maximum :2 300 Sheets Paper Capacity Standard :650 sheets Paper Size: A4 Paper Source Standard :1x 550 Sheet Paper Cassette Paper Weight Supported: Cassettes – 60 to 163 gsm. Bypass – 60 to 216 gsm. Duplex – 60 to 163 gsm. 		

		<ul style="list-style-type: none"> • Print Resolution: Up to 1200 x 1200 dpi • Printer Type: Laser Multifunction Printer • Scan Destinations: E-mail/Internet FAX (SMTP), Super G3 FAX, SMB3.0, FTP, WebDAV • Scan File Format :TIFF, JPEG, PDF, XPS, Office Open XML • Scan Speed: Up to 95/95 ipm • Standard Memory :2GB RAM • Weight : Approximately 41kg • Range : imageRUNNER 		
2	CE630 Fridgestar Chest Freezer – 545LT (or equivalent)	<ul style="list-style-type: none"> • 545 Litre • White or metallic finish with granite lid • Fridge / freezer mode • 4 large baskets • Spring hinges • Fixed non-slip feet 		
1	TABLE MODEL BAIN MARIE 3 DIVISION INCLUDES 6 INSERTS + LIDS	<ul style="list-style-type: none"> • Model: OT-6B • Voltage: 220v • Power: 1.5 kW • Capacity: 1/2 x6 PCS • Tap for easy drainage. • Includes 6x GN1/2 stainless steel inserts with lids. 		
1	3-burner Folding Boiling Table / Gas Stove	<ul style="list-style-type: none"> • 3 plate folding gas stove – heavy duty • Ideal for restaurants and catering • Strong and includes regulator and pipe • Also available are 3 and 4 plate gas stoves • Folding for easy storage • Dimensions: 1340mm x 580mm x 160mm • Box weight: 22k 		
1	Popcorn Machine 8kg	<ul style="list-style-type: none"> • Power Supply: 220Volt /50hz • Power: 1.35Kw • Dimensions: 545 x 410 x 735mm • Capacity: 1 x 8kg • Production – 2kg per hour • Material: Stainless Steel Pot – Inner & Outer • N.W: 25kg • G.W: 26kg 		
1	Double Barrel Slush Machine – 2x15L Commercial Slush Dispenser	<ul style="list-style-type: none"> • Tank capacity: 2 x 15 liters • Power supply: 220V / 50Hz • Power consumption: 0.700 kW / 3.5A • Compressor: Embraco 		

	220V	<ul style="list-style-type: none"> • Refrigerant: R290 • Drive system: Magnetic drive • Net weight: 41 kg • Gross weight: 45 kg • Machine dimensions: 370 x 470 x 720 mm • Packing dimensions: 550 x 440 x 760 mm • Dual 15L tanks • Independent tank operation • LED illuminated tanks • Magnetic drive system • Suitable for commercial beverage service 		
1	6 Hole Doughnut Maker Machine	<ul style="list-style-type: none"> • Electricity: 1.6KW, 220V • Donut Diameter: 80mm • Inner Diameter: 36mm • Dimensions: 335mm x 300mm x 245mm • Weight: 17 kg • Consistent Donut Making Performance: Ensures uniform cooking and perfect donuts every time. • Surrounding Drip Tray for Clean Operation: Catches excess batter and oil, keeping your workspace tidy. • Built-In Timer for Precision Cooking: Allows you to set the exact cooking time for consistent results. • Heat Resistant Handles for Safe Handling: Provides safe and comfortable handling, even when the machine is hot. • Light Indicators for Power and Ready Status: Easily check the power status and know when the machine is ready. 		
1	Small- to medium – sized mobile freezer	<ul style="list-style-type: none"> • External Dimensions (L x W x H): 3.6 m×2.0 m×2.4 m Includes A-frame and axle height) • Internal Cold Room (L x W x H) :2.4 m×1.6 m×2.0 m (As specified) • Provides a walk-in cold room volume of 7.68 m³. • Payload/Loading Capacity :1500 kg to 2500 kg (1.5 to 2.5 Tons) • Compressor Power,1.5 HP (Horsepower), Suitable for the specified volume and often used for 		

		<p>freezer applications or large chillers.</p> <ul style="list-style-type: none"> • Temperature Range (Dual Temp), -20°C to +10°C, A 1.5 HP unit often handles both Chiller (0°C to 10°C) and Freezer (down to -18°C) applications. • Refrigerant Type: R404A or R507 eco-friendly refrigerants like R449A. • Power Consumption, "220V/230V Single Phase, 50Hz", Requires a standard 15 Amp plug or hard wiring. • Defrost System, Automatic Electric Defrost, Essential for freezer applications to maintain efficiency. • Axle Type: Double Axle, Common for loads over 750 kg and for better stability at highway speeds. • Braking System: Run-in Brakes (or optional electric brakes), Legally required depending on the Gross Vehicle Mass (GVM). • Chassis Material: Heavy-Duty Galvanized or Painted Mild Steel, Ensures corrosion resistance and durability. • Support, Heavy Duty Jockey Wheel and 4 Stabilizing/Crank Legs, for stability and levelling when stationary. • Panel Thickness, 75 mm to 80 mm, High-Density Polyurethane (PUR) or Polystyrene insulation. Thicker is better for freezers. • Panel Finish: Chromadek / Chromadeck (Interior and Exterior), "Durable, hygienic, and easy to clean. • Floor: Galvanized Steel or Aluminium Checkered Plate, "Heavy-duty, non-slip, and water-resistant." • Door: Container-type Door or Insulated Panel Door with heavy-duty hinges and secure locking mechanism., • Interior • Features, "LED Internal Lighting, Drain Plug, Meat Rails 		
2	Ryobi Petrol Brush Cutter 52Cc 2-Stroke Corded Grass	<ul style="list-style-type: none"> • Feed System: Semi-automatic • Line Exit Type: Dual • Power Source: Corded • Shaft Type: Straight 		

	Trimmer (Semi-automatic Feed) (or equivalent)	<ul style="list-style-type: none"> • Colour: Red, Black, White • Engine: Equipped with a powerful 52cc engine, ensuring efficient cutting and trimming for various vegetation types. • Split Tube: Built with a split aluminum tube 		
2	Ryobi Petrol Lawn Mower (or equivalent)	<ul style="list-style-type: none"> • Cutting System: Rotary • Lawn Mower Type: Push • Power Source: Petrol • Ryobi 145 CC Petrol Lawnmower. • Its powerful 4-stroke engine ensures smooth operation, while the wide cutting width covers more ground in less time. • Lawn Mower Type : Push • Cutting System : Rotary • Cutting Height :2 cm • Cutting Width :48 cm • Mulching Capability : Yes 		
2	Gorilla Xhose Pro 50ft Expandable Garden Hose (or equivalent)	<ul style="list-style-type: none"> • Heavy Duty 5000D Polyester Casing • Strong Reinforced Double Latex Tubing • Up to 12 Bar Burst Pressure: Capable of withstanding high pressure, making it suitable for various demanding tasks. • Free 8-Nozzle Spray: Includes a versatile nozzle set for multiple watering options. • Lighter, More Compact, More Durable: Designed for easy handling and storage without sacrificing performance. • Expands up to 3x in Length: • Automatically Retracts When Water is Turned Off: Effortlessly retracts to its compact size, reducing hassle and maintenance. • No Kinks. No Tangles: Engineered to prevent frustrating twists and knots during use. • Quick Connectors: Facilitates fast and easy attachment to water sources and accessories. • Size: 50ft 		
1	565 Chainsaw(or equivalent)	<ul style="list-style-type: none"> • Engine Specifications • Cylinder Displacement: 70.6 cm³ / 4.3 cu. inch • Power Output: 3.7 kW / 5.0 hp • Maximum Power Speed: 9300 rpm • Idling Speed: 2700 rpm 		

		<ul style="list-style-type: none"> • Fuel Mix: 50:1 (or 40:1) with 2-stroke oil • Spark Plug: NGK BPMR7A • Cutting Equipment • Bar Length: Recommended 15–28 inches • Chain Pitch: 3/8" • Chain Speed: 20.7 m/s • Chain Gauge: 1.5 mm • Weight & Dimensions • Weight (excluding cutting equipment): 6.5 kg / 14.3 lbs • Oil Tank Volume: 0.35 L / 0.7 US point • Features & Ergonomics • Air Filter Type: Felt • AutoTune: Yes (automatic engine adjustment) • LowVib®: Yes (reduced vibration) • Sound Pressure Level: 105 dB(A) at operator's ear 		
1	Five Thread Edge Overlock Industrial Sewing Machine	<ul style="list-style-type: none"> • Stitch Type: 5-thread safety stitch (3-thread overlock + 2-thread chainstitch). • Needles: 2 (DC x 27 or B27). • Speed: 5,500 – 7,000+ stitches per minute (SPM). • Overedging Width: Generally, 3.0mm – 5.0mm (standard ~4mm). • Stitch Length: 0.5mm – 4.0mm (variable). • Differential Feed: 1:0.7 – 1:2.0 (adjustable to prevent puckering/stretching). • Presser Foot Lift: 5.0mm – 7.0mm. • Lubrication: Automatic. • Motor: Usually direct drive servo motor (integrated/built-in). <p>Key Features & Applications</p> <ul style="list-style-type: none"> • Application: Suitable for light to medium-weight fabrics like T-shirts, knitwear, and trousers. • Fabric Handling: Differential feed ensures smooth stitching on stretchable fabrics. • Safety Stitch: Provides superior durability for garment seams compared to 3-thread alternatives. • Components: Includes a fully assembled table, stand, and, often, a needle cooler. 		
2	Industrial	<ul style="list-style-type: none"> • Performance: 1200W of power and 		

	Electric Steam Iron	<p>a specialized base plate featuring multiple air holes,</p> <ul style="list-style-type: none"> • Durable Construction: Made from high-quality aluminum and iron • Adjustable Temperature Control: Features a 5-speed temperature Regulation knob allowing precise adjustments from 140°F to 428°F • Large Water Capacity: 3L water • Weight : 6.39 lbs 		
1	MAC AFRIC CUT100GT Professional 380 V Plasma Cutter (or equivalent)	<p>Technical Specifications</p> <ul style="list-style-type: none"> • Input Voltage: 380 V (Three Phase) • Frequency: 50 HZ • Rated Input Current: 23 A • Rated Power: 15.1 KVA • Output Current Adjusting Range: 20 – 100 A • Rated Output Voltage: 120 V • Duty Cycle: 0.4 • Efficiency: 0.85 • Power Factor :0.9 • Back Blowing Time: 5 – 25 S • Arcing Mode: High frequency Arc Ignition • Cutting Capacity: 1 – 25 mm <p>Dimensions</p> <ul style="list-style-type: none"> • Package Length (cm):59.18 • Package Width (cm): 35.81 • Package Height (cm): 60.20 • Package Weight (kg): 29.160000 • Duty Cycle: 60% • Voltage: 3P AC380V • Rated Input Current: 23 A 		
1	MAC AFRIC 300 Liter 5.5 KW (7.5 HP) 380 V Belt Driven "V-Type" Compressor (or equivalent)	<p>Technical Specifications</p> <ul style="list-style-type: none"> • Tank Capacity: 300 L • Motor Output: 5.5 KW (7.5 HP) • Outlet Air Flow: 27.49 CFM (778 L/MIN) • Max Tank Pressure: 8 Bar (116 PSI) • Amperage: 11.5 A • Compressor Type: Belt Driven V-Head • RPM: 2 850 RPM • Voltage: 380 V 50 HZ <p>Dimensions</p> <ul style="list-style-type: none"> • Package Length (cm):165.00 • Package Width (cm): 53.00 • Package Height (cm): 103.00 • Package Weight (kg): 220.000000 		
1	HP Color LaserJet	<ul style="list-style-type: none"> • Product: HP Color LaserJet Professional CP5225. 		

	Professional CP5225 Color A3 Laser Printer CE710A (or equivalent)	<ul style="list-style-type: none"> • Print technology: Laser • Number of print cartridges: 4 • Maximum duty cycle: 75000 pages per month • Maximum resolution: 600 x 600 DPI • Maximum ISO A-series paper size: A3. • Print speed (black, normal quality, A4/US Letter): 20 ppm. • Display: LCD • Product color: Black, Grey 		
1	GIA Gem Identification Stater Pack(or equivalent)	<ul style="list-style-type: none"> • A gemological microscope or loupe for detailed examination • A 10x triplet loupe for clarity and inclusion analysis • Gemstone tweezers for safe handling of stones • A gem cloth and cleaning materials • A dichroscope for observing pleochroism • A polariscope for identifying optical properties • A refractometer (where applicable) for measuring refractive index • Spectroscope for analysing light absorption patterns • Reference stones or samples for comparison and study • Supporting instructional materials/manuals 		
2	DEWALT 18V Hammer Drill & Bit Set DCD776S2A(or equivalent)	<ul style="list-style-type: none"> • Rating: Industrial • Battery Type: Lithium Ion • Voltage :18V • Battery AH :1.5Ah • Batteries Included :2 Batteries • Motor Type: Brushed • Hammer Action: With Hammer • Chuck Size: 13mm • Max Torque (Hard) :42Nm • Max Torque (Soft) :24Nm • Output Power :300W • No Load Speed (1st) :0-450rpm • No Load Speed (2nd) :0-1500rpm • Impact Rate (1st Gear) : 0-7650bpm • Impact Rate (2nd Gear) : 0-25500bpm • Drilling Capacity [Wood] :30mm • Drilling Capacity [Metal] :13mm • Drilling Capacity [Masonry] :13mm • Case Included: Carry Case • Set must include 1x Hammer Drill, 		

		2x 18V 1.5Ah Batteries, 1x Charger, 1x Carry Case, 1x 109pc Accessory Set		
1	Ryobi 1200W Hand Planer with Joint Bracket (or equivalent)	<ul style="list-style-type: none"> • Material: Plastic • Color : Multicolor • Product dimensions: 36L x 19W x 21H centimeters • Item weight: 5 Kilograms • Style: Classic • Power source: ac • Base material: aluminum 		
1	Heavy duty aluminum 12 step 3.6 m stepladder	<ul style="list-style-type: none"> • 150kg maximum vertical load (MSVL), • With safe working loads ranging from 115kg to 135kg. • Size: 3.6m (12 treads) • Materials: Aluminum • Key safety features: non-slip feet, spreader bars • Dimensions: 3600 mm(l) x 600 mm(w) x 170 mm(h) 		
1	Fiberglass Tape Surveyors, 50 Meter Length	<ul style="list-style-type: none"> • Color: Orange • Brand: Fra gram • Product dimensions :28L x 18W centimeters • Item weight: 0.48 Kilograms • Measurement accuracy: +/-0.5% • Manufacturer: Fra gram 		
1	PVC Peg and Pole Tent 7m x 12m	<ul style="list-style-type: none"> • Size: 7m x 12m x 4m • Material roof: heavy duty pvc 500gsm • Side walls: heavy duty pvc 500gsm • Frame: electroplated steel poles • Side wall plain: heavy duty pvc 500gsm • Heat vent: 4 • Total weight: 180kg • Pack size: tent 400cm x 80cm x 60cm 88kg • Pack size frame: 2 x 200cm x 15cm x 15cm 11kg each • 3 x 200cm x 10cm x 80cm 7kg each 		
1	Dewalt 18V Brushless Angle Grinder with Paddle Switch DCG413N (or equivalent)	<ul style="list-style-type: none"> • Voltage: 18V • Battery Type: Lithium-Ion • Output Power :1647 W (with 54V 9Ah battery) • Motor Type: Brushless • No Load Speed:9000 rpm • Disc Size :115 mm • Spindle Thread: M14 • Switch Type: Paddle (Deadman) • Lock-On Switch: No 		

		<ul style="list-style-type: none"> • Product Rating Industrial • Includes 		
1	18V Flexvolt Advantage Circular Saw(or equivalent)	<ul style="list-style-type: none"> • Power Source: Battery Powered • Other Special Features of the Product: Brake • Voltage: 60 Volts • Speed: 5800 RPM • Number of Teeth: 24 • Cutting Angle: 90 Degrees • Wattage: 2456 watts • Surface Recommendation: Wood • Item Dimensions: L x W x H 15.4"L x 11.81"W x 11.02"H (39.1 x 30 x 28 cm) • Item Weight: 8.2 Pounds (3.72 kg) • Blade Length 7.25 Inches (18.4 cm) • Included Components: (1) DCS578 60V MAX* Brushless 7-1/2 in. Cordless Circular Saw; (1) Blade; (1) Blade Wrench; (1) Charger; (2) DCB609 FLEXVOLT® 9.0Ah Battery; (1) Kit Bag 		
1	DeWalt Cordless Planer 18V Brushless (or equivalent)	<ul style="list-style-type: none"> • Rating: Industrial • Battery Type: Lithium Ion • Voltage: 18V • Motor Type: Brushless • No Load Speed (1st): 15,000rpm • Depth of Cut [Wood]: 2mm • Planer Width: 82mm • Rebating Depth: 9mm • Shoe Length: 295mm • Drum Diameter: 48mm • Case Included: TSTAK Case 		
1	Nailer Stapler	<ul style="list-style-type: none"> • Li-Ion STAPLER / Type 50 staples / Staple size- Width: 10mm / Lengths: 10 22mm / Magazine Capacity of 98pcs • Machined aluminum magazine ensures smooth staple loading and feeding. • Ergonomically designed rubberized grip provides more control and comfort. • Driving depth adjustment is provided. • Remaining staple view window. • Staple can be redone after the other. • Rigid aluminum hammer case. • Depth Adjusting • Specifications 		

		<ul style="list-style-type: none"> • Voltage :18V 5.0Ah / 3.0Ah / 1.5Ah • Capacity Width :10mm • Capacity Length :10, 13, 16, 19, 22mm • Magazine Capacity :98pcs • Dimensions (LxWxH) / Net weight :251 x 91 x 212mm / 2.4kg 		
1	MAC AFRIC 7.5 kVA (6.2 KW) Standby Petrol Generator (with T.F.V meter) (or equivalent)	<ul style="list-style-type: none"> • Generator Type: Open Frame • Power Output: 6.2 KW (7.5 KVA) • Output Voltage: 230 V (Single Phase) 50 Hz • Amperage per Phase: 25 A • Decibel Rating :96 dB(A) • Fuel Consumption: 2.5 L/PH Full Load • Type: Petrol Powered • Tank Capacity: 25 L • Start Type: Pull Start or Electric Start • Voltage Regulator: Yes (AVR) • Oil Capacity :1.1 L • Engine Displacement 445 CC • Engine Model: BSGE9500E-2 • Total Running Time: 9 Hours 		
1	Genesis Nutrimax Blender 2200 W Mixer Grinder (1 Jar, Grey) (or Equivalent)	<ul style="list-style-type: none"> • Material: Stainless Steel • Blade Material: Stainless Steel • Color: Grey • Convenience Features: Auto Switch Off • Energy Efficiency Label: A • Grinding Features: Blending • Number of Speed Settings :4 • Packaging Type: Each • Power Consumption :2200 W • Series :77716 • Total Jars :1 • Type: Mixer Grinder • Motor Details: AC motor • Number of Blades :4 		
1	Swan SIM02S Ice Maker for Hotel and Other Commercial Spaces (Grey) (or equivalent)	<ul style="list-style-type: none"> • Suitable For: Hotel and Other Commercial Spaces • Colour: Grey • Material: Stainless Steel • Indicators Present: Add Water, Ice Full • Storage Capacity :20 kg • Power Consumption :110 W • Brand Colour: Grey • Control Type: Push Button Control • Ice Basket Included: Yes • Shape of Ice Cubes: Bullet • Ice Making Capacity :20 kg 		

		<ul style="list-style-type: none"> • Self-Clean: Yes • Removable Ice Basket: Yes • Value Features: Compressive Silent Air Cooling, Intelligent Noise Reduction 		
1	8 Drop Bevel Paving Mould(or equivalent)	<ul style="list-style-type: none"> • Capacity: 8 bricks per drop (8-up). • Dimensions: Standard bevel brick size is 200mm x 100mm. • Thickness: Generally available in 50mm, 60mm, or 80mm. • Material: Usually constructed from 3mm thick steel, often featuring welded top/bottom liner plates for increased rigidity. • Production Capability: 8-drop machines can produce roughly 600 bricks per hour (depending on machine). • Brick Finish: Smooth bevel edge. • Compatibility: Designed to fit electric-operated, manual, or automatic egg-layer paving machines. 		
1	MAC AFRIC Hydraulic Hand Pallet Stacker 1 Ton (740 x 900 mm) (or equivalent)	<ul style="list-style-type: none"> • Capacity: 1 Ton (1000 kg) • Lowered Height: 85 mm • Total Height: 2 m • Lift (Stroke / Travel):1.6 m • Fork Length: 900 mm • Fork Width: 145 mm • Overall Width: 770 mm • Distance Between Forks :375 mm • Handle Length: 950 mm • Ground Clearance :30mm • Running Output: ~6,800W - 7,000W • Model: RG-7900K 		
1	Catering table 1.2m Plain top with undershelf & legs - s/steel	<ul style="list-style-type: none"> • 1.2m Stainless Steel Surface Plain • Weight Capacity: 250kg • 430 Grade Stainless Steel • Removable Galvanized Bottom Shelf & Legs • Dimensions: 600mm x1200mm x 850mm + 100mm Splash Back • Packaging: 640mm x 1240mm x 180mm • N.W: 19.65kg • G.W: 21.60kg 		
1	Gas Griller – Combo (8 Burner)	<ul style="list-style-type: none"> • Features: • Griller • Flat Top Griller • Double Fryer • Gas Combo Griller Machine 8 		

		<ul style="list-style-type: none"> Burner Model All-In-One Multipurpose Grill Ribbed Grill Plate (x1), Flat Grill Plate (x1), 8L Deep Fryers (x2) Inserts & Baskets (x2), High Pressure Burners (x2) Bottom Drip Tray LRB Wind Cover Removable Slip Legs, Heavy Duty Steel & Iron Build Dims Assembled (1250x590x910mm) Dims Unassembled (1250x590x450mm) 		
1	20lt Dough Mixer	<ul style="list-style-type: none"> Capacity: 20 Liter bowl / 8kg maximum dry flour. Power: 1.1 kW – 1.5 kW (220V, single-phase, 50Hz). Speeds: Usually 2 speeds (spiral: 125/250 rpm; bowl: 12.5/25 rpm). Dimensions: Approximately Weight: Approximately 90kg – 105kg. Construction: Stainless steel bowl, hook, and safety guard. Safety: Safety grid/cage, emergency stop button 		
1	A3 DTF Printing Machine (or equivalent)	<ul style="list-style-type: none"> Comes with an Automatic Powdering Machine Complete Package, with EPSON® XP600 Printhead, InkRIP RIP Software, CMYK/White Inks, Ink Cleaner, White Adhesive Powder and 30cm Wide DTF Film Rol PrintEXP-A3 Controller, Printhead Temperature Monitor and Easy to Use Alignment Tools for Hardware Fine Control Bi-Directional Printing Enabled, Printing Speed on 12 Pass Quality Mode is ~0.5m /h EPSON XP600 Disposable Printhead Suitable for Solvent Inks, ECO Solvent Inks, Waterbased Inks, DTF Inks, UV Inks etc. Negative Pressure Continuous Ink Supply System (CISS), also Call Bulk Ink System Automatic Printhead Cleaning Functions Included, Anti Ink Blocking, Auto Flash and Moisturizing Automatic Lifting Printhead Ink 		

		<ul style="list-style-type: none"> • Capping System, Easy Alignment and Better Printhead Seal Protection • Connect to Computer by 100M Network Cable for Fast and Stable Printing Process • With Single EPSON® XP600 Printhead, Ink RIP Software, CMYK and White 1L Inks, 1L Ink Cleaner and White Adhesive Powder • Use Household 220V Electricity, Stand-by Power Consumption 30W and Maximum Power Consumption 400W • Powder Baking Oven Heat Up 3 of 700W Heating Element for • Fast and Even DTF Powder Melting • Oven Temperature Monitored and Adjustable, Temperature Control • Precision Within Less Than 1 Degree Celsius • DTF Powder Shaking and Dusting Speed Adjustable with Easy to Use Percentage Dial • Cooling Fan Included to Lower Film Temperature Before Rolling to • Avoid Ink/Powder Contamination • Fume Extractor Outlet Included (Fume Extractor NOT Included), • Universal 50mm Fume Extraction Outlet • Adjustable Take-up Roller Tension Included • Support Printing Resolution 720×720 DPI (4 pass), 720×1080 DPI (6 • pass) and 720×1440 DPI (8 pass) • Fully Robotic Silicon Sealed of 2x 29PIN Cables Preassembled, • Speed Up Installation • Sealed Data Cables Has been Proven Prevent Over Flushed ink 		
1	Carpet Cleaning Package comes with (Carpet & Upholstery Cleanr, Carpet Blower and Rotary Carpet & Floor Scrubber(or equivalent))	<p>Carpet & Upholstery Cleaning Machine K353</p> <ul style="list-style-type: none"> • The K353 has more powerful vacuum motors built in for superior suction power. • 2 vacuum motors that may be switched on individually depending on the requirement for suction power. • Water pump that is used for pumping water from the machine to 		

		<p>the tools that will be used by the operator.</p> <ul style="list-style-type: none"> • The machine comes with accessories as well • 1 × Floortool • 1 × Handtool • 2 × Lids • Weight :40 kg • Dimensions :65 × 55 × 100 cm <p>Carpet Blower Plastic</p> <ul style="list-style-type: none"> • A plastic blower that can be used to circulate air. • Voltage: 220V – 240V • Frequency: 50Hz • Fan wheel size: 270mm • Power: 900W • Air delivery • L-gear: 110m2/min • M-gear: 120m2/min • H-gear: 160m2/min • Weight • 20 kg • Dimensions • 54 × 46 × 58 cm <p>Rotary Carpet and Floor Scrubber</p> <ul style="list-style-type: none"> • Rotary 425 with Paddrive • Weight :31.6 kg • Dimensions :50 × 35 × 50 cm • Voltage :220-240V • Frequency :50Hz • Power: 1200 W • Brush Speed :154RPM • Motor Speed 1400RPM • Length Of Cable:12m • Base Diameter:430mm • Max. Tank Capacity: 16L 		
1	Wheel Balancer CB530(or equivalent)	<ul style="list-style-type: none"> • Advanced Balancing Technology: Ensures high precision with a balancing accuracy of 1 gram and balancing speed of 200 rpm. • Versatile Wheel Compatibility: Accommodates a wide range of rim diameters from 10" to 24" and rim widths from 1.5" to 20". • Quick Cycle Time: Delivers results in a fast 10-second cycle, increasing productivity. • Intuitive Display and Conversion: Offers clear unbalanced value display and easy ounce/gram, mm/inch conversions. • User-Friendly Operation: The hood- 		

		<p>actuated auto-start feature adds to the machine's convenience and ease of use.</p> <ul style="list-style-type: none"> • Robust Design: Can handle a maximum wheel weight of 60 kg and has a sturdy build weighing 83 kg. <p>Technical Specifications</p> <ul style="list-style-type: none"> • Max Wheel Weight: 60kg • Max Power Consumption:180–300W • Power Supply: Single phase, 220V • Balancing Accuracy: 1g • Balancing Speed: 200rpm • Rim Diameter Range: 10" to 24" (256 to 615 mm) • Rim Width Range:1.5" to 20" (40 to 510 mm) • Cycle Time: 10 seconds • Net Weight :83 kg • Sound Pressure Level :<70 dB (A) • Operating Temperature Range: 0 to 50°C 		
1	MAC AFRIC 100 Bar Electric High-Pressure Washer (220V)(or equivalent)	<ul style="list-style-type: none"> • Voltage: 220V 50Hz • Motor Power: 2.2 kW (All-Copper Motor) • Flow Rate: 15 L/min • Motor RPM: 1450 RPM • Maximum Pressure: 100 Bar • Hose Length: 10 meters • Wheels:10" ABS Plastic Wheels • Safety Features: Thermal Protect Valve, Safety Lock on Trigger Gun • Build Quality: Brass Cylinder, Advanced Sealing Technology 		
1	MAC AFRIC 150 Liter 2.2 KW (3 HP) 230 V Belt Driven Compressor (or equivalent)	<ul style="list-style-type: none"> • Tank Capacity: 150 L • Motor Output :2.2 KW (3 HP) • Outlet Air Flow: 8.83 CFM (250 L/MIN) • Max Tank Pressure :8 BAR (115 PSI) • Amperage: 13.7 A • Compressor Type: Belt Driven • RPM: 2 850 RPM • Voltage: 230 V @ 50 HZ • Phase Single Phase 		
12	Round folding table 1.8m (10–12-Seater)	<ul style="list-style-type: none"> • Round folding table 180 (10–12-Seater) • Suitable for indoor and outdoor use • Table folds in half with folding legs and a carry handle • Easy to carry and store 		

		<ul style="list-style-type: none"> • Dimensions: 180x180x74cm • Weight: 24kg • Packed: 1 pce per box • Box dimensions: 189X99X10cm • Weight: 26kg per box 		
10	Centerpiece - Trumpet Gem Vase(or equivalent)	<ul style="list-style-type: none"> • Metal Slim Waist Trumpet Vase • Color: Gold • Shape: Diamond, Trumpet • Style: Elegant • Height: 55 cm • Diameter: 15 cm 		
4	No.25 Black Cast Iron Potjie Pot	<ul style="list-style-type: none"> • No.25 • 3-Legged Black Cast Iron Potjie Pot • Water Capacity 70Lt • Cast Iron and oil cured – ready for use. • Heavy duty, • Used in an open fire or over warm coals even on a gas stove or Coal & Wood burning stove. • Complete with a carrying handle & lid for easy use. 		
1	3x6m Tent	<ul style="list-style-type: none"> • A complete tent with roof, walls, pegs and poles that is easy to assemble. This is an ideal tent for weddings and parties. • 3x6m Tent • Complete with roof, walls, pegs and poles • 260-gram polyester coated pvc • Church seating: 40 chairs (chairs only) • Round: 20 – 30 chairs • Dimensions: 600x300x282cm • Box Dimensions: Box 1: 196x23x15cm (22.8kg) • Box 2: 155x19x9cm (9.0kg) • Box 3: 57x50x42cm (30.2kg) 		
2	Luxury Spa Beds	<ul style="list-style-type: none"> • Breathing Hole Plug: Perfect for facials or other face-down treatments, ensuring comfort and ease. • Solid Strong Wooden Frame: Made with durable mahogany framework to support long-term use. • Durable Vinyl Upholstery: Easy to clean and maintain while providing a professional look. • High-Quality Foam: Offers superior comfort for clients during extended treatments. • Dimensions: 80cm: Length: 		

		<p>1800mm, Width: 800mm, Height: 770mm</p> <ul style="list-style-type: none"> • Colour: Black • Headrest Extension (Face cradle) • Adjustable Headrest Section: Offers 3 height settings for personalized comfort. • Breathing Hole Plug: Ideal for face-down treatments. • Solid Strong Wooden Frame: Built to last and support. • Durable Vinyl Upholstery: Easy to clean for long-term hygiene. • High-Quality Foam 		
1	Soft serve (ice cream) machine 2 flavors mix floor model 22l	<ul style="list-style-type: none"> • Model Number: 3 Flavor FM (22L) • Ice Maker Type: Electric • Capacity:22 L • Color: Silver, Black • Material: Stainless Steel • Used For: Making Ice Cream • Power Requirement: 220V • Power Consumption: 2000 W • Brand Colour: Silver, Black • Model Name 3 Flavour Ice Cream Machine Floor Model • Installation Type: Floor Standing • Non Slip Feet :Yes <p>Dimensions</p> <ul style="list-style-type: none"> • Depth: 76 cm • Height :130 cm • Width: 54 cm 		
1	RECORDING & EDITING COMPUTER (includes desktop computer,27-inch monitor and 2x 2t external hard drives) (or equivalent)	<p>Desktop Computer</p> <ul style="list-style-type: none"> • Dell Pro Tower Essential Core i7-14700 16GB RAM 512GB SSD Win 11 Pro Desktop PC • Future proof of expandability • DDR5, up to 3 PCIe slots, up to 1 M.2 SSD and 1 SATA • Powered by 14th Generation Intel Core Processors • Windows 11 Pro (Dell Technologies recommends Windows 11 Pro for business) • Technical Specification • Product: Dell Pro Tower Essential QVT1260 Desktop PC • Chassis type: Tower PC • Product type: PC • Processor family: 14th Generation Intel Core i7 • Processor model: i7-14700 • Processor frequency: 1.50 GHz / up 		

		<p>to 5.40 GHz (33MB Cache, 20 Cores)</p> <ul style="list-style-type: none"> • Internal memory: 16 GB 5600 MHz (1 x 16 GB) • Internal memory type: DDR5-SDRAM • Total storage capacity: 512 GB M.2 PCIe NVMe • Storage media: SSD • On-board graphics card model: Intel UHD Graphics 770 • Keyboard and Mouse: Dell Wired Keyboard - KB216 - US International (QWERTY) and Optical Mouse - MS116 - Black • Connectivity: Wi-Fi 6 + Bluetooth • Operating system installed: Windows 11 Pro • Power supply: 180 W • Weight: Starting at 4.16 kg • Front and slots • Power Button • Headset Jack • 2x USB 2.0 Type-A • 1x USB 3.2 Type-A • 1x USB 3.2 Type-C • Rear view • DisplayPort 1.4 • HDMI 2.1 • 2x USB 3.2 Type-A • 2x USB 2.0 Type-A • Expansion Slots • Power Supply • Power Indicator • Padlock Loop • RJ45 Ethernet port (1Gbps) • Kensington Lock Slot <p>Dell SE2725HM 27-inch 1920 x 1080p Full HD 5ms IPS Monitor 210-BQZW</p> <ul style="list-style-type: none"> • Product: Dell SE2725HM Monitor • Display diagonal: 68.6 cm (27") • Display resolution: 1920 x 1080 pixels @ 100Hz • HD type: Full HD • Display technology: LED Edge light System • Panel type: In-plane Switching (IPS) Technology • Response time: 5ms GTG (Fast), 8ms GTG • Native aspect ratio: 16:9 • Brightness: 250 cd/m2 • Native Contrast Ratio: 1000:1 		
--	--	--	--	--

		<ul style="list-style-type: none"> • Viewing angle, horizontal: 178° • Viewing angle, vertical: 178° • HDCP Supported: Yes • Stand Adjustments: Tilt • Tilt Angle: -5° to 21° • VESA mounting: 100 x 100 mm • Product colour: Black • Weight: 4.40 kg <p>Ports and Slots</p> <ul style="list-style-type: none"> • Security lock slot (based on Kensington Security Slot) • Power connector • HDMI • VGA <p>Toshiba 2.5-inch 2TB Hard Drive Canvio</p> <ul style="list-style-type: none"> • Fast USB 3.0 port (USB 2.0 compatible) • High transfer speeds • 2.5" External hard drive • 2TB capacity 		
--	--	--	--	--

OFFER TO BE VALID FOR (90) DAYS FROM THE CLOSING DATE OF BID.

Note:

Service providers must submit detailed specification and pictures of the products (catalogue / brochure).

- Does the offer comply with the specification(s)? *YES/NO
- If not to specification, indicate deviation(s)
- Period required for delivery
*Delivery: Firm/Not firm
- Delivery basis

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

*Delete if not applicable contributions and skills development levies.

DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state*.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.

3 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3.1 Full Name:

3.2 Identity Number:

3.3 Company Registration Number:

3.4 Tax Reference Number:

3.5 VAT Registration Number:

3.6 Are you presently in the service of the state* **YES / NO**

3.6.1 If so, furnish particulars.

.....
.....

3.7 Have you been in the service of the state for the past twelve months? **YES / NO**

3.7.1 If so, furnish particulars.

.....
.....

3.8 Do you, have any relationship

* MSCM Regulations: "in the service of the state" means to be –

- (a) a member of –
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

(family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid?

YES / NO

3.8.1 If so, furnish particulars.

.....
.....

3.9 Are you, aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid?

YES / NO

3.9.1 If so, furnish particulars

.....
.....

3.10 Are any of the company's directors, managers, principal shareholders or stakeholders in service of the state?

YES / NO

3.10.1 If so, furnish particulars.

.....
.....

3.11 Are any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in service of the state?

YES / NO

3.11.1 If so, furnish particulars.

.....
.....

I, THE UNDERSIGNED (NAME)

CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM IS CORRECT.

I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE. (A FALSE DECLARATION MAY RESULT IN CANCELLATION OF CONTRACT AND BLACK LISTING)

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right) \text{ or } Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where

- Ps = Points scored for price of tender under consideration
 Pt = Price of tender under consideration
 Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left(1 + \frac{Pt - Pmax}{Pmax} \right) \text{ or } Ps = 90 \left(1 + \frac{Pt - Pmax}{Pmax} \right)$$

Where

- Ps = Points scored for price of tender under consideration
Pt = Price of tender under consideration
Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises located in the district municipal area		20		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary

proof to the satisfaction of the organ of state that the claims are correct;

iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

.....	
SIGNATURE(S) OF TENDERER(S)	
SURNAME AND NAME:
DATE:
ADDRESS:

CONTRACT FORM - RENDERING OF SERVICES

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SERVICE PROVIDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE SERVICE PROVIDER)

1. I hereby undertake to render services described in the attached bidding documents to (name of the institution)..... in accordance with the requirements and task directives / proposals specifications stipulated in Bid Number..... at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the Purchaser during the validity period indicated and calculated from the closing date of the bid.

2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Filled in task directive/proposal;
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;
 - Declaration of interest;
 - Declaration of Bidder's past SCM practices;
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)

3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the services specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.

4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.

5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.

6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)

CAPACITY

SIGNATURE

NAME OF FIRM

DATE

WITNESSES	
1
2
DATE:

CONTRACT FORM - RENDERING OF SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1. I..... in my capacity as..... accept your bid under reference numberdated.....for the rendering of services indicated hereunder and/or further specified in the annexure(s).
2. An official order indicating service delivery instructions is forthcoming.
3. I undertake to make payment for the services rendered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice.

DESCRIPTION OF SERVICE	PRICE (ALL APPLICABLE TAXES INCLUDED)	COMPLETION DATE	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)

4. I confirm that I am duly authorised to sign this contract.

SIGNED AT ON

NAME (PRINT)

SIGNATURE

OFFICIAL STAMP

WITNESSES

1

2

DATE:

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	<p>Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?</p> <p>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p>The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.1.1	If so, furnish particulars:		
4.2	<p>Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?</p> <p>The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.2.1	If so, furnish particulars:		
4.3	<p>Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>

4.3.1	If so, furnish particulars:		
Item	Question	Yes	No
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.7.1	If so, furnish particulars:		

CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS
DECLARATION FORM TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT,
ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION
PROVE TO BE FALSE.**

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.

- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.

- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.

- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.

- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

Js9141w 4

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT: GENERAL CONDITIONS OF CONTRACT

July 2010

GOVERNMENT PROCUREMENT
GENERAL CONDITIONS OF CONTRACT
July 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 “Closing time” means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 “Contract” means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 “Contract price” means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 “Corrupt practice” means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
 - 1.6 “Country of origin” means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 “Day” means calendar day.
 - 1.8 “Delivery” means delivery in compliance of the conditions of the contract or order.
 - 1.9 “Delivery ex stock” means immediate delivery directly from stock actually on hand.
 - 1.10 “Delivery into consignees store or to his site” means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

1.25 “Written” or “in writing” means handwritten in ink or any form of electronic or mechanical writing.

2. Application

2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.

2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.

2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.

3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information; inspection.

5.1 The supplier shall not, without the purchaser’s prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.

5.2 The supplier shall not, without the purchaser’s prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.

5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier’s performance under the contract if so required by the purchaser.

5.4 The supplier shall permit the purchaser to inspect the supplier’s records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.

10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services

13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.

15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

- 16. Payment**
- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.
- 17. Prices**
- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.
- 18. Contract amendments**
- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.
- 19. Assignment**
- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.
- 20. Subcontracts**
- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
- 21. Delays in the supplier's performance**
- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.

21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
- (b) if the Supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which

may be due to him

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

- 26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
- (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28. Limitation of liability

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
- (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

- (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
- 29. Governing language** 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
- 30. Applicable law** 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
- 31. Notices** 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties** 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
- 33. National Industrial Participation Programme (NIP)** 33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.
- 34 Prohibition of Restrictive practices** 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.

- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.